


1 SECOND FLOOR LIFE SAFTEY PLAN

0' 4' 8' 12' 16' 20' 24' TOTAL SECOND FLOOR OCCUPANT LOAD SCALE: 1/8" = 1'-0"



2 THIRD FLOOR LIFE SAFTEY PLAN

0' 4' 8' 12' 16' 20' 24' TOTAL THIRD FLOOR OCCUPANT LOAD SCALE: 1/8" = 1'-0"

CODE DATA:

CODES UTILIZED: NFPA 101 LIFE SAFETY CODE, 2009 EDITION  
OCCUPANCIES: MULTIPLE, NFPA 101 2009 EDITION, CHAPTER 38 NEW BUSINESS OCCUPANCIES, CHAPTER 42 STORAGE OCCUPANCIES.  
SECOND FLOOR AREA: 4,877 S.F.  
THIRD FLOOR AREA: 2,746 S.F.  
FIRE WALLS: 1-HR FIRE RESISTIVE BARRIER AND SMOKE PROOF ENCLOSURE AROUND NEW STAIR TOWER, AROUND NEW ELEVATOR SHAFT, AROUND NEW MECHANICAL SHAFT.  
FIRE SUPPRESSION SYSTEM: YES  
EMERGENCY EXIT LIGHTING: YES  
FIRE ALARM SYSTEM: YES  
MINIMUM ROOF CLASS: CLASS C

LEGEND:

- FEC SEMI-RECESSED FIRE EXTINGUISHER CABINET
- FE SURFACE MOUNTED FIRE EXTINGUISHER
- 1 HOUR FIRE RESISTIVE BARRIER & SMOKE PROOF ENCLOSURE, ALL OPENINGS PROTECTED FOR 60 MIN. FIRE & SMOKE RATING.
- INDICATED PATH OF TRAVEL
- EXIT INDICATES REQUIRED EXIT
- OCCUPANT LOAD
- ACTUAL AREA
- LOAD FACTOR
- INDICATES ROOM OCCUPANCY INFO.

GENERAL NOTES

A. REFER TO PROJECT DOCUMENT "HAZARDOUS MATERIALS INSPECTION OF BUILDING 33, BOISE VETERANS ADMINISTRATION MEDICAL CENTER (BOISE VAMC); BOISE, ID AUGUST 20-23, 2010" AND SPECIFICATIONS FOR SCOPE OF HAZARDOUS MATERIALS REMOVAL.

95% SUBMISSION

CSHQ

C.W. MOORE PLAZA  
250 S. 5TH ST. • BOISE, ID 83702  
(208) 343-4635 • FAX (208) 343-1858  
http://www.cshqa.com

JOHN D. MAULIN, ARCHITECT  
C.W. MOORE PLAZA  
250 S. 5TH ST.  
BOISE, IDAHO  
PHONE: 208-343-4635 FAX: 208-343-1858

THESE DRAWINGS AND SPECIFICATIONS, AS INSTRUMENTS OF SERVICE, ARE AND SHALL REMAIN THE PROPERTY OF THE ARCHITECT / ENGINEER. WHATEVER THE PROJECT FOR WHICH THEY ARE MADE IS EXECUTED OR NOT, THESE DRAWINGS AND SPECIFICATIONS SHALL NOT BE USED BY ANY PERSON OR ENTITY ON OTHER PROJECTS FOR ADDITIONS TO THE PROJECT, OR COMPLETION OF THE PROJECT, WHEN PHASED WITHOUT THE WRITTEN CONSENT OF CSHQA OR ITS AFFILIATES. Copyright © 2011

STAMP

PRELIMINARY  
NOT FOR  
CONSTRUCTION

DRAWING TITLE  
LIFE SAFETY PLAN

APPROVED: DIVISION CHIEF

APPROVED: SERVICE DIRECTOR

PROJECT TITLE  
VAMC  
RENOVATE  
BUILDING 33

BUILDING NUMBER  
33

LOCATION  
BOISE, IDAHO

CHECKED  
JMO

DRAWN  
BKS

DATE  
03/04/11

PROJECT NO.  
531-10-114

DRAWING NO.  
G1.2

DWG. 03 OF 102

